NCAP EIP 2019-2020 audit analysis plan - Wales



<u>Case Note Audit Questionnaire – Analysis Plan</u>
Analysis to be conducted on all standards at national, Health Board and team level. Team reports will include analysis of all data collected.

Standards		Relevant question numbers	Analysis plan
S1	Service users with first episode of psychosis start treatment in early intervention in psychosis services within two weeks of referral (allocated to, and engaged with, an EIP care coordinator).	Q25, Q27	Numerator: all those who were allocated to and engaged with an EIP care coordinator within two weeks of referral Denominator: all
S2	Service users with first episode of psychosis take up Cognitive Behavioural Therapy for psychosis (CBTp)	Q7	Numerator: all those who commenced a course of CBTp, delivered by a person with relevant skills, experience and competencies Denominator: all
S3	Service users with first episode psychosis and their families take up Family Interventions (FI).	Q7	Numerator: all those who commenced a course of FI, delivered by a person with relevant skills, experience and competencies (1) Denominator: all (2) Denominator: all those who had an identified carer, excluding those who did not wish this person to be contacted
S4	Service users with first episode psychosis who have not responded adequately to or tolerated treatment with at least two antipsychotic drugs are offered clozapine.	Q9 & if they have not responded adequately Q9a	Numerator: all those who have been offered clozapine (accepted or refused) Denominator: all those who have not responded adequately to or tolerated treatment with at least 2 antipsychotic drugs
S5	Service users with first episode psychosis take up supported employment and education programmes.	Q7 & Q4	Numerator: all those who have commenced a supported employment programme (1) Denominator: all those who are not in work, education or training at the time of their initial assessment (2) Denominator: all
S6	Service users receive a physical health review annually. This includes the following measures: • Smoking status • Alcohol intake • Substance misuse • BMI	Q11 (smoking) Q12 (alcohol intake) Q13 (substance misuse) Q14 (BMI) Q15 (blood pressure) Q16 (glucose)	For each individual PH measure: Numerator: all those who received a screening (including refusals/those who were pregnant or gave birth in last 6 weeks) Denominator: all





	Blood pressureGlucoseCholesterol	Q17 (cholesterol)	For all 7 PH measures collectively: Numerator: all those who received all seven individual PH measures (including refusals/those who were pregnant or gave birth in last 6 weeks) Denominator: all
S7	Service users are offered relevant interventions for their physical health for the following measures:	Q18 (smoking cessation) Q19 (harmful alcohol use) Q20 (substance misuse) Q21 (weight gain/obesity) Q22 (hypertension) Q23 (diabetes/ high risk of diabetes) Q24 (dyslipidaemia)	For each individual PH measure: Numerator: all those offered a relevant intervention (including refusals) Denominator: all who required an intervention as per the Lester tool Composite measure of standards 6 & 7: Numerator: all those who received screenings (including refusals/those who were pregnant or gave birth in last 6 weeks) and any relevant interventions for all seven PH measures (including refusals) Denominator: all
58	Carers take up carer-focused education and support programmes.	Q5 & if they have an identified carer Q10	Numerator: all carers who have commenced a course of a carer-focused education and support programme (1) Denominator: carers from all those who have an identified family member, friend or carer who supports them (2) Denominator: carers from all those who have an identified family member, friend or carer who supports them, excluding those where the patient does not wish them to be contacted/ it's not felt to be in the patient's best interests for them to be involved in their care



NCAP EIP 2019-2020 audit analysis plan - Wales

	Outcome indicator	Relevant question numbers	Analysis plan
I.	Clinical outcome measurement data for service users (two or more outcome measures from DIALOG, Other) is recorded at least twice (assessment and one other time point).		Numerator: all those with 2 or more outcome measures recorded more than once Denominator: all