REDUCING RESTRICTIVE PRACTICE

BY

Francesca Smargiassi

Marvelyn Babalola

Laura Wood

Annette Woods

Tara Keohan

AIM

 Juniper Ward are now working towards reducing restrictive practise by 1/3 by April 2020

Restrictive practice defined by NHSI

- Rapid tranquillisation
- Restraints
- The use of seclusions

LIFEQI

Total number of physical restraints, episodes of seclusion and use of rapid tranquilisation each month

Outcome measure (C chart)

Charts

Plan


Actions ↓

Charts



Total number of physical restraints, episodes of seclusion and use of rapid tranquilisation each month (Juniper Ward - Restraints)

Monthly




Total number of physical restraints, episodes of seclusion and use of rapid tranquilisation each month (Juniper Ward - Seclusions)

Total number of physical restraints, episodes of seclusion and use of rapid tranquilisation each month (Juniper Ward - Rapid Tranquilisations)

Monthly

Monthly

JiM-Juniper Improvement Meetings



Juniper ward held a BBQI to gather ideas for an induction booklet for Juniper ward.

BBQI was one of the change ideas taken from our Juniper improvement meetings to encourage more patients to attend.

JIM meetings happen twice a month

Change ideas



The aim of having a floor walker is to have a member of staff available at all times during shifts to meet patients needs



PDSA

Reducing Restrictive Practice OI Collaborative





Changing viewing panel keys to plastic keys

Predictions

- 1. Staff will continue to use the mental viewing panel key
- 2. Staff will not use the torch
- 3. Staff will continue to put bedroom lights on during nightly checks
- 4. Staff will continue to make noise during night checks

Plan

Marvelyn and Annette to work with NS to see if the use of a plastic viewing panel key would reduce disturbances during the night.

To put the torch, plastic viewing panel key and fish key together for staff to use

Staff to use night light (fish key) if unable to see patient movement using the torch

Do

A plastic viewing panel key was obtained from security desk, the patient was asked to lay in her bed. The viewing panel was opened using the plastic key many times and instead of turning on the night light, the touch was use.

She demonstrated different sleeping positions and asked us to try again, She was happy with the outcome



Study


This was tested for a week. NS provided feedback that this was a better way of checking patients during the night as it made less noise and disturbances

Act

This was piloted for a week in order to measure changes/ effectiveness using the plastic viewing panel key and fish key (night light)

After a week staff implemented the method of observation for all patient on Juniper Ward. Plastic viewing panel key replaced all metal ones (on security and clinical keys)

Plastic viewing panel keys were given to most of the staff with a fish key to attach onto their lanyard to reduce noise with their key bunch



Thank you for listening

